

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

◊ 1.1 Product identifier

- ◊ Trade name: **Parfümöl Relax**
- ◊ Article number: P0121237
- ◊ Registration number -
- ◊ **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- ◊ Application of the substance / the mixture Flavour/Fragrance

◊ 1.3 Details of the supplier of the safety data sheet

- ◊ Manufacturer/Supplier:
Promed GmbH
Kosmetische Erzeugnisse
Lindenweg 11, 82490 Farchant, Germany

- ◊ Further information obtainable from:
Frau Simone Wesemeyer

- ◊ **1.4 Emergency telephone number: +49 (0) 4771 / 64 61 – 0 / 8:00 – 17:00 Uhr**

. SECTION 2: Hazards identification

◊ 2.1 Classification of the substance or mixture

- ◊ Classification according to Regulation (EC) No 1272/2008
- Flam. Liq. 3 H226 Flammable liquid and vapour.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- Aquatic Acute 1 H400 Very toxic to aquatic life.
- Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

◊ 2.2 Label elements

- ◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- ◊ Hazard pictograms



- ◊ Signal word **Danger**

- ◊ Hazard-determining components of labelling:

DIPENTENE
3,7-Dimethyl-1,6-octadien-3-ol
3,7-Dimethyl-2,6-octadien-1-al (cis und trans)
beta-Pinene
alpha-Pinene
3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene
4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan
3,7-Dimethylocta-2,6-dien-1-ole
1,8-Cineol
2,6-Octadien-1-ol-3,7-dimethylacetate

- ◊ Hazard statements

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: Parfümöl Relax

(Contd. of page 1)

◊ **Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

◊ **2.3 Other hazards**

- ◊ Results of PBT and vPvB assessment
◊ PBT: Not applicable.
◊ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

◊ **3.2 Chemical characterisation: Mixtures**

- ◊ Description: Mixture of substances listed below with nonhazardous additions.

◊ Dangerous components:

CAS: 138-86-3	DIPENTENE	>50-100%
EINECS: 205-341-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 78-70-6	3,7-Dimethyl-1,6-octadien-3-ol	>10-20%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 115-95-7	3,7-Dimethyl-1,6-octadien-3-yl acetate	>2,5-5%
EINECS: 204-116-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 5392-40-5	3,7-Dimethyl-2,6-octadien-1-al (cis und trans)	>2,5-5%
EINECS: 226-394-6	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 18172-67-3	beta-Pinene	>2,5-5%
EINECS: 242-060-2	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 99-85-4	p-Mentha-1,4-diene	1-2,5%
EINECS: 202-794-6	Flam. Liq. 3, H226; Asp. Tox. 1, H304	
CAS: 7785-26-4	alpha-Pinene	1-2,5%
EINECS: 232-077-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 79-92-5	Camphene	1-2,5%
EINECS: 201-234-8	Flam. Sol. 1, H228; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	
CAS: 13466-78-9	3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene	≥0,1-<1%
EINECS: 236-719-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 3387-41-5	4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan	≥0,1-<1%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 106-24-1	3,7-Dimethylocta-2,6-dien-1-ole	≥0,1-<1%
EINECS: 203-377-1	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 470-82-6	1,8-Cineol	≥0,1-<1%
EINECS: 207-431-5	Flam. Liq. 3, H226; Skin Sens. 1B, H317	
CAS: 105-87-3	2,6-Octadien-1-ol-3,7-dimethylacetate	≥0,1-<1%
EINECS: 203-341-5	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 586-62-9	p-Mentha-1,4(8)-diene	≥0,1-≤0,25%
EINECS: 209-578-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	
CAS: 106-22-9	Citronellol	≥0,1-<1%
EINECS: 203-375-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

(Contd. on page 3)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: Parfümöl Relax

(Contd. of page 2)

◊ Additional information: For the wording of the listed hazard phrases refer to section 16.

. SECTION 4: First aid measures

◊ 4.1 Description of first aid measures

◊ General information: Immediately remove any clothing soiled by the product.

◊ After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

◊ After skin contact: Immediately wash with water and soap and rinse thoroughly.

◊ After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

◊ After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

◊ 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

◊ 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

◊ 5.1 Extinguishing media

◊ Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

◊ For safety reasons unsuitable extinguishing agents: Water with full jet

◊ 5.2 Special hazards arising from the substance or mixture No further relevant information available.

◊ 5.3 Advice for firefighters

◊ Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

◊ 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

◊ 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

◊ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

◊ 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

. SECTION 7: Handling and storage

◊ 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

◊ Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

◊ 7.2 Conditions for safe storage, including any incompatibilities

◊ Storage:

◊ Requirements to be met by storerooms and receptacles: No special requirements.

◊ Information about storage in one common storage facility: Not required.

◊ Further information about storage conditions: Keep container tightly sealed.

◊ Storage class: 3

(Contd. on page 4)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: **Parfümöl Relax**

(Contd. of page 3)

◊ **7.3 Specific end use(s)** No further relevant information available.

. SECTION 8: Exposure controls/personal protection

◊ Additional information about design of technical facilities: No further data; see item 7.

◊ 8.1 Control parameters

◊ Ingredients with limit values that require monitoring at the workplace:

138-86-3 DIPENTENE

MAK vgl. Abschn. IIb

106-24-1 3,7-Dimethylocta-2,6-dien-1-ole

MAK Dampf und Aerosol; vgl. Abschn. IV

◊ Additional information: The lists valid during the making were used as basis.

◊ 8.2 Exposure controls

◊ Personal protective equipment:

◊ General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

◊ Respiratory protection: Not required.

◊ Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

◊ Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The multichemical-resistant glove Barrier 02-100 is recommended.

◊ Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

◊ Eye protection: Tightly sealed goggles

. SECTION 9: Physical and chemical properties

◊ 9.1 Information on basic physical and chemical properties

◊ General Information

◊ Appearance:

Form:

Fluid

Colour:

Yellow

◊ Odour:

Characteristic

◊ Odour threshold:

Not determined.

◊ pH-value:

Not determined.

◊ Melting point/freezing point:

Undetermined.

◊ Flash point:

55°C

◊ Flammability (solid, gas):

Not applicable.

◊ Ignition temperature:

Decomposition temperature:

Not determined.

◊ Auto-ignition temperature:

Not determined.

◊ Explosive properties:

Not determined.

(Contd. on page 5)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: Parfümöl Relax

(Contd. of page 4)

- ◊ **Explosion limits:**
 - Lower: Not determined.
 - Upper: Not determined.
- ◊ **Density at 20°C:** 0,859g/cm³
- ◊ **Relative density:** Not determined.
- ◊ **Vapour density:** Not determined.
- ◊ **Evaporation rate:** Not determined.
- ◊ **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- ◊ **Partition coefficient: n-octanol/water:** Not determined.
- ◊ **VOC (EC):** 93,23 %
- ◊ **9.2 Other information:** No further relevant information available.

. SECTION 10: Stability and reactivity

- ◊ **10.1 Reactivity:** No further relevant information available.
- ◊ **10.2 Chemical stability:**
 - ◊ **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- ◊ **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- ◊ **10.4 Conditions to avoid:** No further relevant information available.
- ◊ **10.5 Incompatible materials:** No further relevant information available.
- ◊ **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ◊ **11.1 Information on toxicological effects:**
 - ◊ **Acute toxicity:** Based on available data, the classification criteria are not met.
 - ◊ **Primary irritant effect:**
 - ◊ **Skin corrosion/irritation:** Causes skin irritation.
 - ◊ **Serious eye damage/irritation:** Causes serious eye irritation.
 - ◊ **Respiratory or skin sensitisation:** May cause an allergic skin reaction.
 - ◊ **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - ◊ **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
 - ◊ **Carcinogenicity:** Based on available data, the classification criteria are not met.
 - ◊ **Reproductive toxicity:** Based on available data, the classification criteria are not met.
 - ◊ **STOT-single exposure:** Based on available data, the classification criteria are not met.
 - ◊ **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
 - ◊ **Aspiration hazard:** May be fatal if swallowed and enters airways.

. SECTION 12: Ecological information

- ◊ **12.1 Toxicity:**
 - ◊ **Aquatic toxicity:** No further relevant information available.
- ◊ **12.2 Persistence and degradability:** No further relevant information available.
- ◊ **12.3 Bioaccumulative potential:** No further relevant information available.
- ◊ **12.4 Mobility in soil:** No further relevant information available.
- ◊ **Ecotoxicological effects:**
- ◊ **Remark:** Very toxic for fish

(Contd. on page 6)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: Parfümöl Relax

(Contd. of page 5)

- Toxic for fish
- Very toxic for water fleas.
- Toxic for water fleas
- Very toxic for algae
- Toxic for algae
- ◊ Additional ecological information:
- ◊ General notes:
 - Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.
 - Also poisonous for fish and plankton in water bodies.
 - Very toxic for aquatic organisms
- ◊ **12.5 Results of PBT and vPvB assessment**
- ◊ PBT: Not applicable.
- ◊ vPvB: Not applicable.
- ◊ **12.6 Other adverse effects** No further relevant information available.

. SECTION 13: Disposal considerations

- ◊ **13.1 Waste treatment methods**
- ◊ Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- ◊ Uncleaned packaging:
- ◊ Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

- ◊ **14.1 UN-Number**
- ◊ ADR, IMDG, IATA UN1993
- ◊ **14.2 UN proper shipping name**
- ◊ ADR FLAMMABLE LIQUID, N.O.S. (DIPENTENE, beta-Pinene), ENVIRONMENTALLY HAZARDOUS
- ◊ IMDG FLAMMABLE LIQUID, N.O.S. (DIPENTENE, beta-Pinene), MARINE POLLUTANT
- ◊ IATA FLAMMABLE LIQUID, N.O.S. (containing DIPENTENE, beta-Pinene)
- ◊ **14.3 Transport hazard class(es)**
- ◊ ADR
- ◊ Class 3 (F1) Flammable liquids.
- ◊ Label 3

- ◊ IMDG, IATA
- ◊ Class 3 Flammable liquids.
- ◊ Label 3
- ◊ **14.4 Packing group**
- ◊ ADR, IMDG, IATA III
- ◊ **14.5 Environmental hazards:**
- ◊ Marine pollutant: Product contains environmentally hazardous substances: DIPENTENE, beta-Pinene
Yes
Symbol (fish and tree)
- ◊ Special marking (ADR): Symbol (fish and tree)
- ◊ **14.6 Special precautions for user** Warning: Flammable liquids.
- ◊ Danger code (Kemler): 30
- ◊ EMS Number: F-E,S-E
- ◊ Stowage Category A

(Contd. on page 7)

Printing date 22.09.2017

Version 87





Revision: 22.09.2017

Trade name: Parfümöl Relax

(Contd. of page 6)

- ◊ **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- ◊ **Transport/Additional information:**
-
- ◊ **ADR**
- ◊ **Limited quantities (LQ)** 5L
- ◊ **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- ◊ **Transport category** 3
- ◊ **Tunnel restriction code** D/E
-
- ◊ **IMDG**
- ◊ **Limited quantities (LQ)** 5L
- ◊ **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- ◊ **UN "Model Regulation":** UN 1993 FLAMMABLE LIQUID, N.O.S. (DIPENTENE, BETA-PINENE), 3, III, ENVIRONMENTALLY HAZARDOUS

. SECTION 15: Regulatory information

- ◊ **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- ◊ **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- ◊ **Hazard pictograms**
   
GHS02 GHS07 GHS08 GHS09
- ◊ **Signal word** Danger
- ◊ **Hazard-determining components of labelling:**
DIPENTENE
3,7-Dimethyl-1,6-octadien-3-ol
3,7-Dimethyl-2,6-octadien-1-ol (cis und trans)
beta-Pinene
alpha-Pinene
3,7,7-Trimethylbicyclo[4.1.0]hept-3-ene
4-Methyliden-1-propan-2-ylbicyclo[3.1.0]hexan
3,7-Dimethylocta-2,6-dien-1-ole
1,8-Cineol
2,6-Octadien-1-ol-3,7-dimethylacetate
- ◊ **Hazard statements**
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.
H410 Very toxic to aquatic life with long lasting effects.
- ◊ **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)

Printing date 22.09.2017

Version 87

Revision: 22.09.2017

Trade name: **Parfümöl Relax**

(Contd. of page 7)

- ◊ Directive 2012/18/EU
- ◊ Named dangerous substances - ANNEX I None of the ingredients is listed.
- ◊ Seveso category
E1 Hazardous to the Aquatic Environment
P5c FLAMMABLE LIQUIDS
- ◊ Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- ◊ Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- ◊ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- ◊ National regulations:
- ◊ Technical instructions (air):
- ◊ Class Share in %
 - ◊ NK 0,8
- ◊ Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- ◊ **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- ◊ Relevant phrases
 - H226 Flammable liquid and vapour.
 - H228 Flammable solid.
 - H304 May be fatal if swallowed and enters airways.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H318 Causes serious eye damage.
 - H319 Causes serious eye irritation.
 - H400 Very toxic to aquatic life.
 - H410 Very toxic to aquatic life with long lasting effects.
 - H412 Harmful to aquatic life with long lasting effects.
- ◊ Department issuing SDS: Regulatory Affairs
- ◊ Contact: Dr. Maja Zippel
- ◊ Abbreviations and acronyms:
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
 - VOC: Volatile Organic Compounds (USA, EU)
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Liq. 3: Flammable liquids – Category 3
 - Flam. Sol. 1: Flammable solids – Category 1
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - Skin Sens. 1: Skin sensitisation – Category 1
 - Skin Sens. 1B: Skin sensitisation – Category 1B
 - Asp. Tox. 1: Aspiration hazard – Category 1
 - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- ◊ * Data compared to the previous version altered.